

## Condensed Matter Seminar 物性論セミナー

Supported by Variety and universality of bulk-edge correspondence in topological phases: From solid state physics to transdisciplinary concepts
Grant-in-Aid for Scientific Research (S) Project No.17H06138

2018年12月19日 (水), Dec.19 (Wed), 2018 15:30-17:30

自然系学系棟B棟6階:602号室

[地図]

## Real-Space Topological Classification: Higher-order topology and Atiyah-Hirzebruch spectral sequence

## Nobuyuki Okuma Yukawa Institute for Theoretical Physics, Kyoto University

In recent years, a lot of concepts that relate the crystalline symmetries to topology have been proposed. Among them, the complete classification of topological crystalline insulators is a fundamental unsolved problem. Although such materials are known to be classified by twisted equivariant K-theory, computation of it is still a difficult task in general.

In this talk, I introduce the recent developments of computing the topological classification based on the Atiyah-Hirzebruch spectral sequence (AHSS) [1]. First I briefly explain the basics of K-theoretical classification under Altland-Zirnbauer symmetries, which behave as the onsite symmetries in real space. Then I will explain the AHSS of the topological crystalline phases constructed from onsite-symmetric building blocks. In our formalism, all procedures are performed in real space instead of momentum space, which is conventionally used. As a result, classification of higher-order topological insulators are naturally given by a by-product introduced in AHSS in addition to the K-theory itself.

[1] N. Okuma, M. Sato, and K. Shiozaki, arXiv:1810.12601

Contact: T. Mizoguchi 溝口知成 Tel:029-853-4535 Email: mizoguchi@rhodia.ph.tsukuba.ac.jp